

INDEX MAPS.

T.14.N R.5W 2nd Mer.

	239	238-239	238-239	238-239	238-240	237-240
242	6	265 5	260 4	256 3	250 2	245 1 237
	267	264	260	255	250	268
241	7	264 8	259 9	254 10	249 11	268 12 237
	266	264	259	254	249	245
241	18	263 17	259 16	254 15	248 14	245 13 236
	266	263	258	253	248	244
241	19	262 20	258 21	253 22	247 23	244 24 236
	266	262	257	252	247	243
241	30	262 29	257 28	252 27	247 26	243 25 236
	265	261	256	251	246	242
240	31	261 32	256 33	251 34	246 35	242 36 236
	234	233-234	233-234	233-235	233-235	233-235

T.15.N R.5W 2nd Mer.

	275	274	274	274	274	273
277	6	300 5	295 4	290 3	286 2	281 1 273
	302	299	295	290	286	281
277	7	299 8	294 9	290 10	285 11	281 12 273
	301	298	294	289	285	280
276	18	298 17	294 16	289 15	284 14	280 13 272
	301	297	293	288	284	279
276	19	297 20	293 21	288 22	283 23	279 24 272
	300	297	292	288	283	278
276	30	296 29	292 28	287 27	283 26	278 25 272
	300	296	291	287	282	278
275	31	295 32	291 33	286 34	282 35	277 36 272
	270	270	269-271	269-271	269-271	269-271

The figures on the lines refer to the page.

369

Township No 15 North of Range No 5 West 2nd Mer. Ind. &
Ch. Lk.

South Boundary. var. 600

West On a Random line On the South Boundary of Sec. 36.
T. 15 N. R. 5 W. July 1st 1819.

41.00 Set a temp^l post for the cor. of 1/4 Sec.

13.50 (53.50) To a Creek 30. links wide. Course S.

80.00 Set a temp^l post for the cor. of Sec. 35. & 36.

Land part broken. Soil rich. Timber Buck. Sugar
Poplar. Walnut. &c.

West On a Random line On the South Boundary of Sec. 35.
T. 15. N. R. 5. W.

40.00 Set a temp^l post for the cor. of 1/4 Sec.

80.00 Set. " " " " " " Sec. 34. & 35.

Land level and good for farming: Timber same as last mile

West On the Random line On the South Boundary of Sec. 34.
T. No 15. S. R. No 5. W.

5.00 To a Creek 30. links wide; Course S. W.

30.00 " " To 70. " " " S.

40.00 Set a temp^l post for the cor. of 1/4 Sec.

45.00 To a Brook 6. links wide Course S.

80.00 Set a temp^l post for the cor. of Sec. 33. & 34.

Land part rolling & part broken. Soil rich & muddling
good for farming: Timber same as last mile

West On the Random line On the South Boundary of
Sec. 33. T. No 15. S. R. No 5. W.

40.00 Set a temp^l post for the cor. of 1/4 Sec.

47.50 To a Brook 15. links wide; Course S. W.

70.00 " " To 20. " " " S.

80.00 Set a temp^l post for the cor. of Sec. 32. & 33.

Land similar but rather broken.

T. N. 15. N. R. N. 5. W. 2nd Mer. Ind.^a

West On a Random line on the South Boundary of Sec. 32,
T. N. 15. N. R. N. 5. W.

20-00 To a Spring Branch 4 links wide, course S.

40-00 Set a temp.^y post for the cor. of 1/4 Sec.

80-00 " " " " " " " " Sec. 31. & 32.

Land on the East 1/2 level & post set. Timber same as last mile

West On a Random line On the South Boundary of Sec. 31.
T. N. 15. North R. 5. W.

40-00 Set a temp.^y post for the cor. of 1/4 Sec.

71. 54 Intersects the Boundary 64 links South of the
temp.^y Township cor.

Land level, and rather wet. Timber Buck. Ash
Hickory & Poplar

East On a true line On the South Boundary of Sec. 31.

T. N. 15. N. R. N. 5. W. July 8th 1810 var 5.55

31. 54 Set a post for the cor. of 1/4 Sec. at the area dist. on the
true line from which a

Buck 4 in diam. bears S. 70. W. 7 links dist. & a

No 14. " " " N 54. E. 27 " "

71 54 Set a post for the cor. of Sec. 31. & 32. from which a

Buck 12 in diam. bears S. 15. W. 34 links, dist. & a

No 5. " " " S. 5. E. 14 " "

East On a true line On the South Bound.^y of Sec. 32.

T. N. 15. N. R. N. 5. W.

40-00 Set a post for the cor. of 1/4 Sec. at the area dist. on the true
line from which a Buck 18 in diam. bears S. 45. E. 2 links dist.

and a Maple 27. " " " S. 44. W. 20. " "

80-00 Set a post for the cor. of Sec. 32 & 33. from which a

Sugarwood 6 in diam. bears S. 73. W. 24 lbs. dist. & a

Buck 14 " " " S. 65. E. 26. " "

T. N. 15. N. R. 5. W. 2nd Mer. (Ind. a)

East	On the true line On the South Boundary of Sec 33 T. N. 15. N. R. 5 W.
4000	Set a post for the cor. of 1/4 Sec. from which a Gunn 10 in diam. bears N. 13. E. 7. links dist. & a Buck 9. " " " S. 31. W. 13. " "
8000	Set a post for the cor. of Sec. 33. & 34. from which a Sugar 12 in diam. bears S. 62 W. 15. links dist. & a Gunn 24. " " " N. 53. E. 12. " "

East	On a true line On the South Boundary of Sec. 34. T. 15. N. R. 5. W.
4000	Set a post for the cor. of 1/4 Sec. from which a Buck 18. in diam. bears N. 32 W. 6. links dist. & a St. 18. " " " S. 42. E. 34. " "
8000	Set a post for the cor. of Sec. 34. & 35. from which a Sugar 14 in diam. bears S. 46. W. 6. links dist. and a St. 13. " " " N. 41 E. 26. " "

East	On the true line on the South Boundary of Sec. 35. T. N. 15. N. R. N. 5 W.
4000	Set a post for the cor. of 1/4 Sec. from which a Buck 6 in diam. bears N. 44. W. 4. links dist. & a St. 24. " " " N. 80. E. 22. " "
8000	Set a post cor. of Sec. 35. & 36. from which a Buck 8 in diam. bears S. 67. E. 13. links dist. & a Sugar 9. " " " S. 70. W. 15. " "

East	On the true line On the South Boundary of Sec. 36. T. N. 15. N. R. N. 5. W.
4000	Set a post for the cor. of 1/4 Sec. from which a Buck 14 in diam. bears N. 43. E. 9. links dist. & a St. 10. " " " S. 32. W. 25. " "
8000	Set the post cor. of T. 15. & 14. N. R. 5. 4 & 5. W. (Comp.)

East Boundary. var. 6²⁵.
 North On the East Boundary of Sec. 36. T. 15. N. R. 5 W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a Gum 30" 13, 14
 Buck 11. in diam. bears S. 9. W. 17. links dist. &c
 Sh 14 " " " N. 11. E. 32. " "
 76.00 Set a Buck 30 links wide, bears W. June 30th 1819.
 80.00 Set a post for the cor. of Sec. 25. & 36. from which a
 Buck 12. in diam. bears S. 56. E. 8. links dist. &c
 Sh 20. " " " N. 8. W. 24. " "
 Land rolling; Timber. Buck. Walnut. Ash &
 Hawtherry. Sugar. Wg. Spice & Pampas. Soil rich.

North On the East Boundary of Sec. 25. T. 15. N. R. 5 W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 W. Oak 30. in diam. bears N. 72. W. 8. links dist. &c
 Hick. 15. " " " S. 29. E. 32. " "
 80.00 Set a post for the cor. of Sec. 24. & 25. from which a
 Buck 12 in diam. bears S. 48. W. 18. links dist. &c
 Sh 16 " " " N. 57. E. 30 " "
 Land level & good for farming. Timber same as last mile

North On the East Boundary of Sec. 24. T. 15. N. R. 5 W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Hickory 6. in diam. bears S. 46. W. 13. links dist. &c
 Sh 8 " " " N. 9. W. 27. " "
 80.00 Set a post for the cor. of Sec. 13. & 24. from which a
 Hickory 8. in diam. bears S. 82. E. 10. links dist. &c
 Gum 14. " " " S. 54. E. 18. " "
 Land & Timber same as last mile

North On the East Boundary of Sec. 13. T. 15. N. R. 5 W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 12. in diam. bears S. 21. W. 24. links dist. &c

T. N 15. N R. N 5. W. 2nd Mer Ind^a.

65 00 Sugar 11. in diam^r bears N 19. E. 23. links dist,
 To a Brook 20. links wide; course W.
 80 00 Get a post for the cor. of Sec^s 12. & 13. from which a
 Sugar 12. in diam^r bears N 65. E. 11. links dist. &c
 Buck 9. " " " S. 67. W. 21. " "
 Land & Timber same as last mile.

North On the East Boundary of Sec. 12. T. 15. N R. 5. W.
 18. 00 To a Brook 12. links wide. course W.
 40 00 Get a post for the cor. of 14 Sec. from which a
 Buck 5. in diam^r bears S. 72. W. 16. links dist. &c
 No 20. " " " S. 75. W. 8. " "
 80 00 Get a post for the cor. of Sec^s 1. & 12. T. 15. N R. 5. W.
 from which a Sugar 24. in diam^r bears S. 65. E. 17. links dist
 and a No 18. " " " S. 75. W. 17. " "
 Land 2nd rate. & good for farming. Timber same

North On the East Boundary of Sec. 1. T. 15. N R. 5. W.
 40 00 Get a post for the cor. of 14 Sec. from which a
 Buck 8. in diam^r bears S. 56. W. 17. links dist. &c
 Sugar 6. " " " N. 38. E. 14. " "
 73. 00 To a Brook 6. links wide course West.
 80 00 Get the temp^t post for the cor. T. 15. & 16. N. R. 5. & 5. W.
 Land same & good for farming; middling level.

North Boundary.

West On the South Bound^r of Sec. 36. T. 16. N R. 5. W.
 6. 00 To a Brook 8. links wide; course S.
 40 00 Get a post for the cor. of 14 Sec. from which a
 Buck 15. in diam^r bears S. 65. W. 2. links dist. &c
 No 14. " " " N 10. E. 19. " "
 46. 00 To a Brook — links wide course S.
 78. 00 " " No 5. " " "

T. N 15. S. R. N 5. W. 2nd Mer. Ind.^a

8000 Get a post for the cor. of Sec. 35 & 36. From which a
Sucker 10. in diam. bears S. 26. W. 7. links dist. & a
Buck 9. " " " N. 25. W. 30 " "
Land rolling & separate. Timber: Buck. Sugar. Oak
& Hickory; good for farming.

West On the South Boundary of Sec. 35. T. 16. S. R. 5. W.
4000 To a Brook 10 links wide; course N.
4000 Get a post for the cor. of $\frac{1}{4}$ Sec. from which a
Buckeye 12. in diam. bears N. 7. E. 15. links dist. & a
Buck 9. " " " S. 11. W. 10 " "
8000 Get a post for the cor. of Sec. 34. & 35. From which a
Buck 11. in diam. bears N. 3. E. 27. links dist. & a
S. 27. " " " S. 35. E. 8. " "
Land same as on the last mile.

West On the South Boundary of Sec. 34. T. 16. S. R. 5. W.
1000 To a Brook 8 links wide; course N. W.
2200 " " S. 10 " " " N. W.
4000 Get a post for the cor. of $\frac{1}{4}$ Sec. from which a
Buck 4. in diam. bears N. 17. E. 13. links dist. & a
S. 9. " " " S. 10 E. 26. " "
8000 Get a post for the cor. of Sec. 33. & 34. From which a
W. Oak 12. in diam. bears East 7. links dist. & a
Sucker 7. " " " S. 59. W. 15. " "
Land & timber same as on the last mile.

West On the South Boundary of Sec. 33. T. 16. S. R. 5. W.
800 To a Brook 15. links wide; course N.
3200 " " S. 3 " " " N.
00 " " S. 3 " " " N.
4000 Get a post for the cor. of $\frac{1}{4}$ Sec. from which a
Sucker 18. in diam. bears S. 83. W. 6. links dist. & a

55.50 Sugar 12. in diam: bears S 64. E. 52. links dist.
 70.50 To a Brook 5. links wide; Course S.
 79.00 To a Brook 8 links wide, Course N. S. W.
 80.00 To a Creek 150. " " " S. W.
 80.00 Set a post for the cor. of Sec. 32. & 33. in a Creek from
 which an Elm 10. in diam: bears S. 88. E. 109. links dist. & an
 Elm 10. " " " West 112. " "
 Land similar, part rather broken.

West On the South Boundary of Sec. 32. T. 16. S. R. 5. W.
 40.00 Set a post for the cor. of 14 Sec. from which a
 Sugar 12. in diam: bears S 64 W 8. links dist. & a
 Poplar 27. " " " S. 79. E. 30. " "
 63.50 To a Brook 15. links wide; Course S.
 80.00 Set a post for the cor. of Sec. 31. & 32 from which a
 Sugar 9. in diam: bears S. 25. E. 7. links dist. & a
 Sh 8. " " " N 17. W. 16. " "
 Land rather broken & hilly; Timber same as on the last mile

West On the South Boundary of Sec. 31. T. 16. S. R. 5. W.
 40.00 Set a post for the cor. of 14 Sec. from which a
 W. Oak 30. in diam: bears S. 8. E. 11. links dist. & a
 Buckeye 8. " " " N. 71. W. 20. " "
 55.00 To a Creek 150. links wide; Course S. E.
 71.64 Intersect the West Range line 239. links S. of the
 temp^l post cor. of T. 15. & 16. S. R. 5. & 6. W. Set
 a post for the cor. of Sec. from which an
 Elm 9. in diam: bears S. 58. E. 25. links dist. & a
 Sugar 10. " " " N 10. W. 7. " "
 Land part same as the last mile and partly broken
 bottom. Timber same as last mile.

West Boundary
 North On the East Boundary of Sec. 36. T. 15. S. R. 6. W.

T. N 15. N R. N 5. W. 2nd Mer. Ind.

4000 Get a post for the cor. of 44 Sec. from which a
Buck 8. in diam. bears S. 89. E. 4. links dist. &
Sugar 12. " " " N 89. W 26. " "

78. 00 To a Brook 10. links wide; course S. W.

8000 Get a post for the cor. of Sec. 35. & 36. from which a
Buck 8. in diam. bears S. 84. W. 7. links dist. & an
Ash 30 " " " N 33. E. 22 " "

Land level & fertile; middling good for farming
Timber, Ash, Buck Sugar Poplar &c.

North On the East Boundary of Sec. 25. T. 15. N R. 6. W.

27. 00 To a Brook 10 links wide; course N.

4000 Get a post for the cor. of 44 Sec. from which a
Buck 4. in diam. bears N 23. W. 10. links dist. &
a Buck 12. " " " S 59. W 32. " "

41. 00 To a Brook 20. links wide; course S. W.

8000 Get a post for the cor. of Sec. 24. & 25. from which a
Sugar 12. in diam. bears S. 22. W. 18. links dist. & a
S. 24. " " " N. 67. E. 48. " "

Land level & not very rich, but good for farming
Timber same as on the last mile.

North On the East Boundary of Sec. 24. T. 15. N R. 6. W.

4000 Get a post for the cor. of 44 Sec. from which a
Buck 5. in diam. bears S. 47. E. 7. links dist. & a
S. 9. " " " S 62. W 22. " "

8000 Get a post for the cor. of Sec. 13 & 24. from which a
Buck 14. in diam. bears S. 3. E. 23. links dist. & a
S. 12. " " " S 26. W. 23. " "

Land level, rich, & good for farming; Timber,
Buck Sugar Walnut, Elm, Larch &c.

North On the East Boundary of Sec. 13. T. 15. N R. 6. W.

T. 15. N. R. 5. W. 3rd Mer. Sect.

4000 Set a post for the cor of 14 Sec. from which a
Sugar 14. in diam. bears S. 77. E. 28. links dist. & a
Elm 9. " " " S. 40. W. 25. " "

72. 00 To a Brook 12. links wide, course N.

8000 Set a post for the cor. of Sec. 12. & 13 from which a
Sugar 15. in diam. bears S. 56. W. 27. links dist. & a
Buck 18. " " " S. 43. E. 23. " "
Land & timber same as on the last mile

North On the East Boundary of Sec. 12. T. 15. N. R. 6. W.

33-00 To a Brook 8. links wide; Course S.

4000 Set a post for the cor. of 14 Sec. from which a
Elm 10. in diam. bears South 32. links dist. & a
Sugar 12. " " " N. 22. W. 13. " "

8000 Set a post for the cor. of Sec. 1. & 12. from which a
Hickory 18. in diam. bears N. 73. E. 11. links dist. & a
Sugar. 9. " " " S. 27. W. 28. " "
Land and Timber same as on the last mile

North On the East Boundary of Sec. 1. T. 15. N. R. 6. W.

4000 Set a post for the cor of 14 Sec. from which a
Hickory 8. in diam. bears S. 38. E. 13. links dist. & a
Sugar 18. " " " N. 28. W. 25. " "

8000 Set the temp. post for the cor of T. 15. & 16. N. R. 5. & 6. W.
Land & Timber. same as last mile.

Surveyed by
W. M. Harris. M. S.

Subdivisions.

North Between Secs 35. & 36. T. 15. N. R. 5. W.

30 90 To a Buck 20. in diam. stands in the line

4000 Set a post for the cor. of 14 Sec. from which a
Buck 10. in diam. bears N. 53. W. 30. links dist. & a

T. N 15. N. R. N 5. W. 2nd Mer. Ind.^a

- Buck 8. in diam. bears S. 15. W. 16. links dist. 1
 53. 25 It a Poplar 30 in diam. stands in the line
 8070 It a Post for the cor. of Sec. 25. 26. 35 & 36. from which
 a Hickory 12. in diam. bears N 30. W. 32. links dist. & a
 S. 20. " " " N 75. E. 48. " "
 Land rolling & 2nd rate. Timber Buck Sugar.
 W. Oak Poplar &c. Undergst. Spice &c.

- East On a Random line between Sec. 25. & 36. T. 15. & R. 5 W.
 4070 It a temp^l Post for the cor. of 1/4 Sec.
 80 25 Intersect the East Boundary at the Post cor. of Sec.
 25. & 36. Land rolling & 2nd rate. Timber.
 Buck. Sugar. W. Oak. Poplar W. g. Spice &c.

- West On the true line Between Sec. 25. & 36. T. 15. & R. 5. W.
 40 112 1/2 It a Post for the cor. of 1/4 Sec. at the aver. dist. in the true
 line. from which a Sugar 24 in diam bears S 28. E. 4 lks. dist.
 and an Elm 8. " " " S. 83. W. 4. " "
 80 25 To the Post cor. of Sec. 25. 26. 35. & 36.

- North Between Sec. 25. & 26. T. 15. & R. 5. W.
 16. 10 It a Sugar. 24 in diam. stands in the line
 4070 It a Post for the cor. of 1/4 Sec. from which a
 Buck 24. in diam. bears S. 20. E. 14. links dist. & a
 B. Ash 8. " " S. 30. W. 14. " "
 78. 15 It a Buck 10. in diam. stands in the line
 8070 It a Post cor. of Sec. 23. 24. 25. & 26. from which a
 Buck 10. in diam. bears S. 6. E. 18. links dist. & a
 Sugar 12. " " " S. 88. E. 2. " "
 Land rolling & 2nd rate. Timber W. Oak. Buck
 Sugar. &c. Undergst. Spice &c.

- East On a Random line between Sec. 24. & 25. T. 15. & R. 5 W.

T. N 15. N. R. N. 5. W. 2nd. Men

9. 00 To a Spring Branch. — links wide; Course N. W.
 40 00 Get a temp. post for the cor. of 14 Sec.
 80 42 Intersect the East Branch 98 links South of the post
 cor. of Sec. 24 & 25. T. 15. S. R. 5. W.
 Land rolling & 2nd rate. Timber W. Oak. Sugar Beech
 &c. Undergrowth Aspice &c.

West On the true line between Sec. 24 & 25. T. 15. S. R. 5. W.
 40 21 Get a post for the cor. of 14 sec. at the aver. dist. on the true
 line from which a Sugar 10 in diam. bears N. 73. W. 32 lbs. dist.
 and a W. Oak 36. " " S. 73. E. 28. " "
 80 42 To the post cor. of Sec. 23. 24. 25. & 26.

North Between Sec. 23. & 24. T. N 15. S. R. 5. W.
 9. 00 To a Spring Branch. Course S. W.
 22. 50 " " Back 6 links wide " S. W.
 40 00 Get a post for the cor. of 14 Sec. from which a
 Walnut 40 in diam. bears S. 26. W. 12 links dist. &
 Sugar. 18. " " " S. 77. E. 6. " "
 55. 50 To a Sugar 12 in diam. stands in the line
 70 00 " " Spring Branch. Course S. W.
 78. 50 To a Back 6 links wide; Course S. W.
 80 00 Get a post for the cor. of Sec. 13. & 14. 23. & 24. from
 which a Poplar 24 in diam. bears S. 50 E. 14 lbs. dist. &
 Sugar. 6. " " " N 45. W. 12. " "
 Land rolling & 2nd rate; Timber. W. Oak. Beech.
 Sugar. Poplar &c. W. g. Aspice &c.

East On a Random line between Sec. 13 & 24 T. 15. S. R. 5. W.
 40 00 Get a temp. post for the cor. of 14 Sec.
 80. 10 Intersect the S. & E. line 68 links E. of the post cor. of
 Sec. 13. & 24. — Land rolling & 2nd rate. Timber.
 Beech. Sugar &c. Undergrowth Aspice &c.

T. N 15. N. R. N 5. W. 3rd Mer. Ind.^a

8000 To the post cor. of Sec. 11. 12. 13. & 14.

North Between Sec. 11. & 12. T. N 15. S. R. N 5. W.

14 20 To a Buck 15. in diam. stands in the line

15. 00 Entering Yellow timber.

25 00 Left the same

39. 50 To a Buck 10. links wide, corner S. E.

40 00 Get a post for the cor. of 14 Sec. from which a
Buck 12. in diam. bears S. 23. E. 30. links dist. To
W. Walnut 10 in " " S. 53. E. 10. " "

80 00 Get a post for the cor. of Sec. 1. 2. 11. & 12. from which
a Buck 24. in diam. bears S. 54. E. 27. links dist. To

S. 10 " " " N. 63. W. 14. " "

Land in the 1st 1/2. Broken & 2nd rate. 2nd 1/2 nothing &
2nd rate. Timber, Buck, Sugar, Hickory, & W. Oak
Undergrowth Spice & Sunnys.

East On a Random line between Sec. 1. & 12. T. 15. S. R. 5. W.

40 00 Get a temp. post for the cor. of 14 Sec

64. 00 To a Spring Branch. corner S.

80 00 Intersect the S. & E. line 156. links S. of the post cor.
of Sec. 1. & 12. Land level. & good 2nd rate.
Timber, Buck, Sugar, Walnut & Poplar W. & Spice &c.

West On the true line between Sec. 1. & 12. T. 15. S. R. 5. W.

40 10 Get a post for the cor. of 14 Sec. at the aver. dist. on the true
line from which a Buck 12. in diam. bears S. 3. E. 5. links dist.
and a S. 12. " " " N. 89. W. 16. " "

80 20 To the post cor. of Sec. 1. 2. 11. & 12

North Between Sec. 1. & 2. T. S. 15. N. R. 5. W.

17. 20 To a Buck 15. in diam. stands in the line

40 00 Get a post for the cor. of 14 Sec. from which a

T. N. 15. S. R. 5. W. 2nd Mer

- Hickory 29. in diam. bears G. 10. E. 18. links dist. & a
 Buck 12. " " " G. 65. W. 27. " "
 64. 00 To a Buck 10. in diam. stands in the line
 85. 75 Intersect the S. Boundary at the post cor. of Sec.
 35. & 36. T. 16. S. R. 5. W.
 Land level & good 2nd rate. Timber, Buck, Ash
 Sugar. & Poplar. W. g. Spruce &c.

- North Bottom Sec. 34 & 35. T. 15. S. R. 5. W.
 3. 00 To a Dry Buck 20. links wide; Course G. W.
 12. 60 To a Buck 12. in diam. stands in the line
 44. 00 To a post for the cor. of 1/4 Sec. from which a
 Sugar 4. in diam. bears N. 15. W. 8. links dist. & a
 Sh 10. " " " N. 83. W. 28. " "
 58. 40 To a Poplar 40. in diam. stands in the line
 80. 00 To a post for the cor. of Sec. 26, 27, 34 & 35, from
 which a Buck 20. in diam. bears G. 40. E. 19. links dist.
 and a Sh 18. " " " N. 84 E. 26. " "
 Land hilly & broken. 3rd rate. Timber, Poplar,
 Oak, Buck &c. W. g. Dogwood &c.

- East On a Random line between Sec. 26. & 35. T. 15. S. R. 5. W.
 40. 00 To a temp. post for the cor. of 1/4 Sec.
 81. 15 Intersect the N. & G. line 42. links North of the post
 cor. of Sec. 25. 26. 35. & 36.
 Land hilly & broken; 3rd rate. Timbers Oak,
 Poplar, Hickory &c. W. g. Dogwood &c.

- West On the true line between Sec. 26. & 35. T. 15. S. R. 5. W.
 40. 37 To a post at the av. dist. in the true line. for the cor. of
 1/4 Sec. from which a
 Buck 12. in diam. bears S. 20. W. 30. links dist. & a
 Sh 20. " " " G. 50 W. 30 " "

T. N 15. N. R. N 5. W. 2nd Mer.

81 15 To the post cor. of Sec. 26. 27. 34. & 35

North Between Sec. 26. & 27. T. 15. N. R. 5. W.

14. 52 To a Poplar 50 in diam. stands in the line

40 00 Set a post for the cor. of 1/4 Sec. from which a
Gum 14 in diam. bears S. 39. E. 5. lks. dist. & an
Alder 4 " " " N 54. W 35. " "

59. 00 To a W Oak 36. in diam. stands in the line

59. 40 " " Spring Course S W.

80 00 Set a post for the cor. of Sec. 22. 23. 26. & 27. from which
a Birch 10. in diam. bears S. 29. W. 15. links dist. & a
Spr. 10 " " " S. 54. W 21. " "
Land hilly & broken. 3rd rate. Timber. Birch. Oak
Poplar. &c. W. & Logwood. &c.

East On a Random line between Sec. 23. & 26. T. 15. N. R. 5. W.

40 00 Set a temp. post for the cor. of 1/4 Sec.

80 70 Intersect the S. & S. line 64. links North of the post
cor. of Sec. 23. 24. 25. & 26.Land part rolling & part level. 2nd rate.

West On the true line between Sec. 23. & 26. T. 15. N. R. 5. W.

40 35 Set a post for the cor. of 1/4 Sec. at the aver. dist. in the
true line from which aHickory 12. in diam. bears N. 56. W. 14. lks. dist. & a
Sugar 12. " " " S. 26. E. 60 " "

80 70 To the post cor. of Sec. 22. 23. 26. & 27.

North Between Sec. 22. & 23. T. 15. N. R. 5. W.

10 19 To a Red Oak 40 in diam. stands in the line

32. 00 " " Birch 20. links wide Course S. W.

40 00 Set a post for the cor. of 1/4 Sec. from which a
Sugar 30 in diam. bears S. 25. E. 7. links dist. & a

T. N 15. N. R. N 5. W. 2nd Mer. Ind.

- Shunwood 3. in diam. bears N. 53. W. 21. links. dist.
148. 00 To a Buck 40. links wide; Course. S. W.
52. 00 " " S. 20. " " " S. W.
56. 00 " " S. 20. " " " S. E.
60. 60 " " S. 20. " " " "
61. 00 " " Double Cypress 24. in diam. stands in the line
- 8000 Get a post for the cor. of Sec. 14. 15. 22. & 23. from
which an Shunwood 4. in diam. bears S. 80. E. 11. links dist.
and a S. 4. " " " S. 85. W. 16. " "
- Land rolling & 2nd rate. Timber. Buck. Sugar.
Poplar. Oak. &c. M. g. Spruce. &c

- East On a Run down between Sec. 14. & 23. T. 15. N. R. 5 W.
5. 00 To a Buck 20. links wide; Course S. W.
40. 00 Get a temp. post for the cor. of 1/4 Sec.
58. 00 To a Buck 30. links wide; Course S. E.
79. 40 To a Spring Branch. N. W.
80. 78 Intersect the N. & S. line 53. links North of the
post cor. of Sec. 14. 15. 22. & 23.
Land part rolling & part broken. some level bottom.
2nd rate; Timber. Buck. Sugar. Ash. Walnut. My spic

- West On the true line between Sec. 14. & 23. T. 15. N. R. 5 W.
11. 34 Get a post as a w. dist. on the true line for the cor. of 1/4 sec.
from which a Sugar 30. in diam. bears S. 59. E. 14. links dist.
and a Buck 36. " " " S. 55. W. 37. " "
- 80 78 To the post cor. of Sec. 14. 15. 22. & 23

- North Between Sec. 14. & 15. T. 15. N. R. 5 W.
17. 36 To a Buck 18. in diam. stands in the line
11. 00 Get a post for the cor. of 1/4 Sec. from which a
Buck 12. in diam. bears S. 38. W. 5. links dist. &
Lynn 10. " " " S. 84. E. 31. " "

50 87 To a Sugar 12. in diam. stands in the line
 84 00 Set a post for the cor. of Sec. 10 11. 14. & 15 from which a
 Sugar 14. in diam. bears S. 64 E. 12. links dist. & a
 Buck 8. " " " S. 53 W. 16. " "
 Land rolling & 2nd rate, Timber, Buck. Sugar. Oak &c
 Undergth Spice

East On a Banden between Sec. 11. & 14. T. 15. S. R. 5th.
 37.31 To a Spring Branch. Course E. E.
 46 00 Set a damp^d post for the cor. of 1/4 Sec.
 41 00 To a Brook 20. links wide; Course E. S. W.
 81 10 Intersect the S. & W. line 70 links S. of the post cor.
 of 11. 12. 13. & 14.
 Timber, Buck. Sugar. Ash. Oak, Dogwood &c. No Spice &c

West On the true line between Sec. 11. & 14. T. 15. S. R. 5th.
 46 55 Set a post at the west. dist. on the true line for the cor. of 1/4
 sec. from which a B. Walnut 18. in diam. bears S. 55 W. 25. links dist.
 and a " Sugar 20. " " " S. 73 E. 20. " "
 86 10 To the post cor. of Sec. 10. 11. 14. & 15.

North Between Sec. 10. & 11. T. N. 15. S. R. 5th.
 10 00 Timber all fell down & continuing in the same situation
 for 38. chains; a little the most difficult to see
 40 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 18. in diam. bears S. 28 E. 37. links dist. & a
 Sugar 12. " " " S. 74 W. 24. " "
 62 90 To a Buck 12. in diam. stands in the line
 80 00 Set a post for the cor. of Sec. 2. 3. 10. & 11. from which a
 Poplar 30. in diam. bears S. 21 E. 22. links dist. & a
 Ash 12. " " " S. 43 W. 16. " "
 Land rolling & broken; Timber, Buck. Oak. Poplar &c
 Veg. of all descriptions.

T. N 15. N R. N 5 W. 2nd Mer. (Ind. 4)

- East On a Random line between Sec. 2 & 11. T. 15. N. R. 5 W.
 40 00 Get a temp. post for the cor. of 1/4 Sec.
 59. 60 To a Buck 15 links wide; Guinea C. 1/4 Sec.
 80. 16 Intersect the N. & E. line at the post cor. of Sec. 1. 2. 11. & 12.
 Lumber rolling & 2nd rate; Timber. Beech. Sugar Poplar

- West On the true line Between Sec. 2 & 11. T. 15. N. R. 5 W.
 40 08 Get a post at the aver. dist. on the true line from which
 a Buck 12. in diam. bears S. 6. W. 34 links dist. &
 Sugar 12. " " " N. 16. E. 20. " "
 80 16 To the post cor. of Sec. 2. 3. 10. & 11.

- North Between Sec. 2 & 3. T. 15. N. R. 5 W.
 34. 58 To a Buck 12. in diam. stands in the line
 40 00 Get a post for the cor. of 1/4 Sec. from which a
 Sugar 14. in diam. bears S. 33. E. 10. links dist. &
 Buck 12. " " " S. 17. W. 19. " "
 51 89 To a Buck 24. in diam. stands in the line
 85 69 Intersect the True, or N. Boundary 200 links
 East of the post cor. of Sec. 34 & 35. T. 16. N. R. 5 W.
 Get a post for the cor. of Sec. 2 & 3. from which a
 Buck 20. in diam. bears N. 54. W. 6. links dist. &
 No 14. " " " S. 28. E. 24. " "
 Lumber rolling & 2nd rate; Timber. Beech. Poplar
 Oak &c. W. Spruce & Dogwood; Nov. 7th 1819.

- North Between Sec. 33. & 34 T. 15. N. R. 5 W.
 16. 40 To a Buck 12 in diam. stands in the line
 40 00 Get a post for the cor. of 1/4 Sec. from which a
 W. Walnut 14 in diam. bears S. 21. E. 5. links dist.
 and an Iron nail 4. " " " N. 57. W. 13. " "
 57. 85 To a Sugar 14. in diam. stands in the line
 80 00 Get a post for the cor. of Sec. 27. 28. 33. & 24

From which a Hornbeam 6. in diam. bears S. 44. E. 17. links dist.
 " No. 14. " " " S. 47. W. 16. " "
 Land rolling broken & 2nd rate Timber. Birch. Oak
 Sugar Poplar. W. g. Spruce, Ironwood, Dogwood, B. Gum. & Plum

East On a Round line between Sec. 27. & 34. T. 15. N. R. 5. W.
 22. 00 To a Buck 50. links wide; course S. E.
 40 00 To a stump? post for the cor. of 1/4 Sec.
 60. 00 To a Spring Branch. Course S. E.
 80 12 Intersect the S. & E. line 44. links S. of the post.
 cor. of Sec. 26. 27. 33. & 34.
 Land 1st & 2nd rolling. 3rd & 4th Bottom. & 2nd rate.
 Timber. Oak, Birch, Poplar. Sugar. Walnut &c.

West On the true line between Sec. 27. & 34. T. 15. N. R. 5. W.
 40 00 To a post at the aver. dist. on the true line for the cor. of 1/4
 Sec. From which
 Buckhorn 12. in diam. bears S. 3. W. 35. links dist. to
 There 6. " " " N. 42. E. 45. " "
 80 12 To the post cor. of Sec. 26. 27. 33 & 34

North Between Sec. 27. & 28. T. N 15. N R 5. W.
 12. 40 To a Buck 6. links wide; Course S. E.
 12. 40 To Fallen timber
 40. 00 To a post for the cor. of 1/4 Sec. from which a
 Sugar 10. in diam. bears S. 66. E. 5. links dist. to
 No " " " " N 83. W. 14. " "
 44. 00 Left fallen timber
 54. 00 To a Buck 15 links wide; course S. E.
 62. 00 To a Buck 2. in diam. stands in the line
 80 00 To a post for the cor. of Sec. 21. 22. 27. & 28. from which
 an Ironwood 8. in diam. bears S. 47. W. 14. links dist. to
 Hornbeam 4. " " " S. 11. W. 5. " "

T. N 15. N R. N 5. W 2nd Mer Ind.

Land rolling & broken. 2nd rate. Timber. Buck Ash
Sugar. Oak, Poplar. Walnut. Hick. & My Spruce

-
- East On a Random line between Sec. 22. & 27. T. 15. S. R. 5 W.
1. 00 To a Buck 6 links wide; down S. E.
2. 00 " " Spring " " " "
30 00 To a Buck 40. " " " S. W.
40 00 Set a temp. post for the cor. of 1/4 Sec.
80 00 Intersect the S. & W. line 52 links north of the post
Land rolling & 2nd rate. Timber. Buck Sugar.
Oak. &c. Underbrush Spruce
-

- West On the true line between Sec. 22. & 27. T. 15. S. R. 5 W.
40 00 Set a post for the cor. of 1/4 Sec. at the ascend. in the traction
from which a Buck 4. in diam. bears S. 52. E. 16 links dist.
and a No. 10. " " " S. 57. E. 22. " "
80 00 To the post cor. of Sec. 21. 22. 27. & 28.
-

- North Between Sec. 21. & 22. T. 15. S. R. 5 W.
14 72 To a Buck 10. in diam. stands in the line
40 00 Set a post for the cor. of 1/4 Sec. from which a
Sugar. 14. in diam. bears S. 79. W. 31. links dist. & a
Buck 6. " " " S. 61. W. 22. " "
51 14 To an Ash 14. in diam. stands in the line
80 00 Set a post for the cor. of Sec. 15. 16. 21. & 22. from which
a Buck 10 in diam. bears S. 24. E. 7. links dist. & a
No. 9. " " " S. 62. W. 25. " "
Land rolling Broken & 2nd rate; Timber Buck
Sugar. Oak, Ash, Poplar. & Hick. Elm &c.
Undergrowth of easy description
-

- East On a Random line between Sec. 15. & 22. T. 15. S. R. 5 W.
32. 16 To a Buck 15 links wide; down S. E.

T. N. 15. N. R. N. 5. W. 2nd Mer. (Ind^a)

41.00 Get a post for the cor. of $\frac{1}{4}$ Sec.
 79.85 Intersect the S. & T. line 15. links S. of the post cor. of Sec.
 14. 15. 22. & 23.
 Land rolling & Inadequate Timber, Buck Sugar. Poplar
 Oak. Alg. Spruce &c

West On the true line between Sec. 15. & 22. T. 15. S. R. 5. W.
 39.92 Get a post at the aver. dist. on the true line for the cor. of $\frac{1}{4}$ Sec.
 from which a Buck 10. in diam. bears S. 13. E. 8. links. dist. &c
 To 10. " " " S. 9. W. 30. " "
 74.85 To the post cor. of Sec. 15. 16. 21. & 22. Nov. 8th 1819.

North Between Sec. 15. & 16. T. 15. S. R. 5. W.
 22.70 To a Buck 15 in diam. stands in the line
 40.00 Get a post for the cor. of $\frac{1}{4}$ Sec. from which a
 Buck 28. in diam. bears S. 11. W. 31. links dist. &c
 To 10 " " " S. 6. W. 28. " "
 55.28 To a Sugar. 14. in diam. stands in the line
 80.00 Get a post for the cor. of Sec. 10. 14. 15. & 16. from which a
 Sugar. 10. in diam. bears S. 18. W. 14. links dist. &c
 B. Ash 5. " " " S. 60. E. 24. " "
 Land level & Inadequate Timber. Buck. Sugar. Poplar
 Hickory Ash Walnut. Lymon &c. Alg. Spruce &c

East On a Pandem line between Sec. 10. & 15. T. 15. S. R. 5. W.
 40.00 Get a temp. post for the cor. of $\frac{1}{4}$ Sec.
 78.94 Intersect the S. & T. line 40. links S. of the post cor. of Sec.
 10 11. 14. & 15
 Land level & Inadequate Timber Buck. Poplar. Ash
 Sugar. Walnut. Hickory Lymon &c. Alg. Spruce &c

West On the true line between Sec. 10 & 15. T. 15. S. R. 5. W.
 39.47 Get a post for the cor. of $\frac{1}{4}$ Sec. at the aver. dist. on the true line

T. N. 15. S. R. N. 5. W. 2nd Mer. Ind?

From which a Sugar 6. in diam. bears S. 41. E. 4. links dist.

and a Do 10. " " " S. 17. E. 5. " "

78. 94 To the post cor. of Sec. 9. 10. 15. & 16.

North Between Sec. 9. & 10. T. 15. S. R. 5th W.

18. 00 To a Beech 24. in diam. stands in the line

40. 00 To a post for the cor. of 1/4 Sec. from which a

Beech 12. in diam. bears S. 38. W. 22. links dist. and a

Do 10. " " " S. 57. E. 28. " "

51. 50 To a Beech 10. links wide; Course S. W.

55. 27 To a Sugar 15. in diam. stands in the line

80. 00 To a post, the cor. of Sec. 3. 4. 9. & 10. from which a

Poplar 40. in diam. bears S. 58. E. 9. links dist. &

Sugar 15. " " " S. 22. W. 10. " "

Land in the 1st 1/2 mile level 2nd 1/2 rolling & 3rd rate

Timber Beech. Sugar. Poplar. Ash. Oak. Walnut

Lynx. &c. W. g. Spice &c.

East On a boundary line between Sec. 3. & 10. T. 15. S. R. 5th W.

40. 00 To a temporary post for the cor. of 1/4 Sec.

79. 25 Intersect the S. & T. line 48. links S. of the post.

Land rolling & 2nd rate. Timber. Beech. Sugar. Poplar

Oak. Ash. Walnut. Lynx. &c.

West On the true line between Sec. 3. & 10. T. 15. S. R. 5th W.

39. 62 To a post at the even. dist. on the true line for the cor. of 1/4 Sec. from which a Beech 9. in diam. bears S. 55. W. 4. links dist.

and a Do 8. " " " S. 67. E. 17. " "

79. 25 To the post cor. of Sec. 3. 4. 9. & 10.

North Between Sec. 3. & 10. T. 15. S. R. 5th W. T. 15. S. R. 5th W.

8. 00 To a Spring Branch. Course S. W.

10. 90 To a W. Oak 30. in diam. stands in the line

13. 50 To a Spring Branch. Course West.
 24. 50 " " " " " "
 40. 00 Get a post for the cor. of 1/4 Sec. from which a
 Buck 10. in diam. bears S. 56. W. 15. links dist. S. 8. " " " S. 31. E. 13. " "
 49. 00 To a Spring Branch. Course S. W.
 57. 37 " " Buck 18. in diam. stands in the line
 67. 50 To a Spring Branch. Course W.
 72. 00 " " " " " S. W.
 85. 62 Intersect the S. Boundary 62. links East of the post
 cor. of Sec. 33. & 34. T. 15. S. R. 5. W. & set a post
 cor. of Sec. 3. & 4. from which a
 Buck 14 in diam. bears S. 76. E. 2. links dist. S. 9. " " " S. 38. W. 18. " "
 Land rolling & broken 2nd rate. Timber. Buck. Sugar
 Poplar. Oak. & Ug. Spice &c. Nov. 9th 1819.

- North Between Sec. 32. & 33. T. 15. S. R. 5. W.
 3. 50 To a Buck 20. links wide; Course S. E.
 13. 00 To a Sugar. 15. in diam. stands in the line
 40. 00 Get a post for the cor. of 1/4 Sec. from which a
 Buck 10. in diam. bears S. 21. E. 17. links dist. S. 8. " " " S. 10. W. 20. " "
 65. 60 To a Buck 17. in diam. stands in the line
 80. 00 Get a post for the cor. of sec. 28. 29. 32. & 33. from which
 a Poplar 14. in diam. bears S. 39. W. 15. links dist. S. 30. " " " S. 24. E. 19. " "
 Land rolling broken & 2nd rate Timber. Buck
 Sugar. W. Oak. &c. Undergth Spice &c.

- East On a Random line between Sec. 28. & 33. T. 15. S. R. 5. W.
 40. 00 Get a temp^o post for the cor. of 1/4 Sec.
 63. 50 To a Spring Branch. Course S.

T. N 15. N R 5. W. 9th Mer. (Ind. a.)

80 87 Intersect the N. & E. line 32-links South of the Post
 cor. of Secs. 27. 28. 33. & 34.
 Land selling & broken. 2nd rate. Timber, Buck. Sugar.
 Poplar &c. U. g. Spruce &c.

West On the true line between Secs. 28. & 33. T. 15. & R. 5 W.
 40 43 1/2 Get a Post for the cor. of 1/4 Sec. at the aver. dist. on the true
 line from which a Buck 14 in diam. bears S. 82. W. 3 1/4 links dist.
 and a Sugar. 8. " " " N. 78. E. 1 " "
 80 87 To the post cor. of Secs. 28. 29. 32 & 33.

North Between Secs. 28. & 29. T. 15. & R. 5 W.
 1. 50 To a Spring Branch. Course S. W.
 20. 00 To an Elm 20 in diam. stands in the line
 40. 00 Get a Post for the cor. of 1/4 Sec. from which a
 Sugar. 12 in diam. bears S. 29. E. 33 links dist. & a
 Buck 10. " " " S. 68. W. 18. " "
 50 00 To a Spring Branch. Course S. E.
 52. 00 To a Poplar 18 in diam stands in the line
 80 00 Get a Post for the cor. of Secs. 20 21. 28. & 29. from which
 a Sugar. 12 in diam. bears S. 80. E. 18 links dist. & a
 Buck 7. " " " S. 32. W. 6. " "
 Land broken. & 2nd rate; Timber Buck Sugar. Poplar
 W. Oak &c. U. g. Spruce &c.

East On a random line between Secs. 21. & 28. T. 15. & R. 5 W.
 39. 50 To a Spring Branch. Course N.
 40. 00 Get a temp. Post for the cor. of 1/4 Sec in a Buck 25.
 links wide Course N. E.
 45. 15 To a Buck 25 links wide; Course S. E.
 80 82 Intersect the N. & E. line at the Post cor. of Secs.
 21. 22. 27. & 28. Land broken & 3rd rate. Timber
 W. Oak. Buck. Sugar &c. U. g. Spruce &c.

293

T. N. 15. N. W. N. 5. W. 2nd Mer. Ind.

- West On the true line between Sec. 21. & 28. T. 15. S. R. 5. W.
 40. 41 Set a post for the cor. of $\frac{1}{4}$ Sec. at the aver. dist. on the true line from which a Sugar. 12. in diam. bears S. 15. E. 87. links dist. and a Buck 10. " " " S. 30. E. 85. " "
 80 82 To the post cor. of Sec. 20. 21. 28. & 29.
 This $\frac{1}{4}$ Sec post stands in the stream.

- North Between Sec. 20. & 21 T. N. 15. S. R. 5. W.
 4. 00 To a Buck 18 in diam. stands in the line
 15. 00 To a Spraying Branch course S. E.
 35. 00 " " Buck 20 links wide " S. E.
 40 00 Set a post for the cor. of $\frac{1}{4}$ Sec. from which an Elm 12 in diam. bears South 20 links dist. &c.
 No 10. " " " S. 45. W. 8. " "
 64. 00 To a Buck 15. links wide; course S. W.
 74 00 " " No 15. " " " S. E.
 75. 25 To a Buck 15. in diam. stands in the line
 80. 00 Set a post for the cor. of Sec. 16. 17. 20. & 21. from which a Buck 12 in diam. bears S. 19. E. 36. links dist. &c.
 No 14. " " " S. 10 W. 34. " "
 Land broken & 2nd rate Timber Buck Sugar &c. &c.

- East On a Random line between Sec. 16. & 21. T. 15. S. R. 5. W.
 40. 00 Set a temp^y post for the cor. of $\frac{1}{4}$ Sec.
 80 50 Intersect the S. & W. line 20 links South of the post cor. of Sec. 15. 16. 21. & 22.
 Land rolling & 2nd rate. Timber. Buck. Sugar &c. U. g. Spice. &c.

- West On the true line between Sec. 16. & 21. T. 15. S. R. 5. W.
 40 25 Set a post for the cor. of $\frac{1}{4}$ Sec. at the aver. dist. on the true line from which a N. Oak 24 in diam. bears S. 71. W. 14. links dist. and a Buck 6. " " " S. 39. E. 12. " "

294

T. N. 15. N. R. N. 5. W. 2nd. Mer. Ind.

80 50 To the post cor. of Sec. 16. 17. 20. & 21.

North Between Sec. 16. & 17. T. N. 15. N. R. 5 W.
 14. 50 To a Buck 18 in diam. stands in the line
 21 20 To a Brook 18 links wide; course S. W.
 40 00 Set a post for the cor. of 1/4 Sec. from which an
 Elm. 24. in diam. bears North 17. links dist. to
 Buck 30. " " " S. 9. E. 35. " "
 80 00 Set a post for the cor. of Sec. 8. 9. 16. & 17. from which a
 Buck 12. in diam. bears S. 50. E. 24. links dist. to
 Sugar. 20. " " " S. 60. E. 14. " "
 Land broken & 2nd rate Timber, Buck, Sugar, W. Oak, &
 Ug. Spice &c.

East On a bearing line between Sec. 9. & 16. T. 15. N. R. 5 W.
 40 00 Set a temp. post for the cor. of 1/4 Sec.
 80 00 Intersect the S. & W. line 23. links S. of the post cor. of
 Sec. 9. 10. 15. & 16.
 Land level & 2nd rate; Timber. Buck, Poplar, W. Oak,
 Sugar. &c. Ug. Spice

West On the true line between Sec. 9. & 16. T. 15. N. R. 5. W.
 40 00 Set a post for the cor. of 1/4 Sec. at the aver. dist. in the true line
 from which a W. Oak 24 in diam. bears S. 81. E. 21. links dist.
 and a Hornbeam 7. " " " S. 81. W. 13. " "
 80. 00 To the post cor. of Sec. 8. 9. 16. & 17.

North Between Sec. 8. & 9. T. 15. N. R. 5. W.
 18. 00 To an R. Oak 24 in diam. stands in the line
 40 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 18. in diam. bears S. 3. W. 21. links dist. to
 Hickory 20. " " " S. 75. W. 16. " "
 67. 75 To a Hickory 16 in diam. stands in the line

T. N. 15. S. R. N. 5. W. 9th Mer.

80 00 Get a post cor. of Sec. 4. 5. 8. & 9. from which a
Sugar 13. in diam. bears S. 57. E. 15 links dist. to
Lynx 10. " " " S. 75. W. 10. " "
Land level; & 2nd rate Timber Buck Sugar Poplar.
Hickory W. Oak &c. Undergrowth Spice &c.

East On a random line between Sec. 4. & 9. T. 15. S. R. 5. W.
40 00 Get a temp. post for the cor. of 1/4 Sec.
80 10 Intersect the S. & E. line 6 links South of the post cor. of
Sec. 3. 4. 9. & 10.
Land rolling & 2nd rate. Timber Buck Sugar Poplar. &c.
Undergrowth Spice &c.

West On a true line between Sec. 4. & 9. T. 15. S. R. 5. W.
40 05 Get a post for the cor. of 1/4 Sec. at the aver. dist. on the true line
from which a Sugar 14 in diam. bears S. 70. W. 18 links dist.
and a No 16. " " " S. 57. E. 33. " "
80 10 To the post cor. of Sec. 4. 5. 8. 9.

North Between Sec. 4. & 5. T. 15. S. R. 5. W.
11. 10 To a B. Oak 36. in diam. stands in the line
40 00 Get a post for the cor. of 1/4 Sec. from which a
Sugar 14. in diam. bears S. 33. W. 8 links dist. to
No 10 " " " S. 86. E. 14. " "
57. 10 To Beech 14 in diam. stands in the line.
85. 50 Intersect the S. Bound. at an Elm 12 in diam. for a
bearing tree, on the bank of a stream 100 links wide
running S. W. Get a post for the cor. of Sec. 4 & 5. from which
an Elm 12 in diam. bears S. 46. E. 20 links dist. to
The 1st 1/4 mile level 2nd rate Land. 2nd 1/4 rolling & Broken
Timber. Buck Sugar W. Oak. &c. U. g. Spice &c.

North Between Sec. 31. & 32. T. 15. S. R. 5. W.

T. N. 15. S. R. 5. W. 2nd Mer.

13. 15 To a Sugar 15. in diam. stands in the line
 40 00 Get a post for the cor. of 1/4 Sec. from which a
 Beech 15. in diam. bears S. 27. E. 14. links dist. to
 No 14. " " " S. 48. W. 36. " "
 56. 00 To a Spring Branch. Course East.
 62. 94 To a Beech 13. in diam. stands in the line.
 80 00 Get a post for the cor. of Sec. 29. 30. 31. & 32. from which
 a Beech 18. in diam. bears S. 34. W. 20. links dist. to
 Poplar 30 " " " S. 31. E. 27. " "
 Land rolling & 2nd rate. Timber. Beech. Sugar.
 Poplar, Oak, Ash. Buckb. 16. W. 9. of all descriptions

- East On a Bandem line between Sec. 29. & 32. T. 15. S. R. 5. W.
 40 00 Get a temp^l post for the cor. of 1/4 Sec.
 80 50 Intersect the S. & E. line 36. links S. of the post cor. of
 Sec. 28. 29. 32 & 33.
 Land rolling & 2nd rate. Timber, W. Oak. Sugar.
 Walnut. &c. W. 9. Spruce &c.

- West On the true line between Sec. 29. & 32. T. 15. S. R. 5. W.
 40 25 Get a post for the cor. of 1/4 Sec. at the same dist. on the true
 line from which a Sugar 14. in diam. bears S 85. W. 6. links dist.
 and a No 18. " " " S. 25. E. 16. " "
 80 50 To the post cor. of Sec. 29. 30. 31. & 32.

- North Between Sec. 29. & 30. T. 15. S. R. 5. W.
 11. 00 To a Beech 16. in diam. stands in the line
 40 00 Get a post for the cor. of 1/4 Sec. from which a
 Beech 6. in diam. bears S 63. W. 23. links dist. to
 No 18. " " " S. 59. E. 12. " "
 59. 20 To a Poplar 12. in diam. stands in the line
 67. 50 To a Spring Branch. Course S. W.
 70 40 " " " " West,

80,00 Get a spot cor. of Sec. 19, 20, 29, & 30. Gum which an
Ash 3. in diam. bears S. 26. E. 10. links dist. & an
Elm 6. " " " S. 77. E. 27. " "
Land rolling & 2nd rate. Timber. Buck. Sugar. Oak
Ash. & Poplar. &. Wg. Spice &c.

East On a Random line between Sec. 20. & 29. T. 15. S. R. 5th.
40,00 Get a ten p. spot for the cor. of 1/4 Sec.
80 71 Intersect the S. & E. line 56. links S. of the spot cor.
of Sec. 20, 21, 28, & 29.
Land Poor rolling & poor timber. Timber. Walnut Ash
Sugar. Buck &c. Wg. Spice. &c.

West On a true line between Sec. 20 & 29. T. 15. S. R. 5th.
40 35 1/2 Get a spot for the cor. of 1/4 Sec. at the aver. dist. On the true line
Gum which a Buck 36. in diam. bears S. 49. W. 15. links dist.
and a So 8. " " " S. 81. E. 14. " "
80 71 To the spot cor. of Sec. 19, 20, 29, & 30.

North Between Sec. 19. & 20. T. S. 15. S. R. 5. W.
18 09 To a Buck 11. in diam. stands in the line
40 00 Get a spot for the cor. of 1/4 Sec. Gum which a
Buck 20. in diam. bears S. 83. E. 15. links dist. & an
So 4 " " " S. 59. W. 17. " "
50 00 To a Buck 13. in diam. stands on the line
80 00 Get a spot for the cor. of Sec. 17, 18, 19, & 20. Gum which
an No. Elm 30. in diam. bears S. 73. W. 8. links dist.
and a W. Walnut 10 in " " S. 4. W. 21. " "
Land on the 1st 1/2 mile rolling & 2nd rate 2nd 1/2 level
2nd rate. Timber. Buck. Oak, Ash. Sugar. W. Wal-
nut Poplar. &c. Wg. Spice &c.

East On a Random line between Sec. 17. & 20. T. 15. S. R. 5th.

T. N 15. S. R. N 5. W. 2nd Mer. Ind.

East On a Random line between Sec. 17. & 20. T. 15. S. R. 5. W.
 40.00 Set a temp. post for the cor. of 1/4 Sec.
 51.00 To a Buco 6 links wide; course S. W.
 77.40 " " No 6. " " " S. W.
 80.44 Intersect the S. & W. line 61 links S. of the post cor. of
 Sec. 14. 15. 22. & 23.
 Land rolling & 2nd rate; Timber. W. Oak. Sugar. Buck
 Walnut &c. U. g. Spruce

West On a true line between Sec. 17. & 20. T. 15. S. R. 5. W.
 40.37 Set a post for the cor. of 1/4 Sec. at the even dist. on the
 true line from which a
 Sugar 10. in diam. bears S. 34. W. 20. links dist. to
 Buck 10. " " " S. 70. E. 20. " "
 80.64 To the post cor. of Sec. 15. 16. 21. & 22,

~~East On a Random line between Sec. 17. & 20. T. 15. S. R. 5. W.
 40.00 Set a temp. post for the cor. of 1/4 Sec.
 51.00 To a Buco 6 links wide; course S. W.~~

North Between Sec. 17. & 18. T. 15. S. R. N 5. W.
 14.24 To an Ash 30. in diam. stands in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which an
 Ash 4. in diam. bears S. 63. W. 6. links dist. to
 Buck 6. " " " S. 89. E. 27. " "
 58.22 To a Buck 24. in diam. stands in the line
 80.00 Set a post for the cor. of Sec. 7. 8. 17. & 18. from which
 a Buck 8. in diam. bears S. 14. E. 33. links dist. to
 Sugar 14. " " " S. 46. W. 30. " "
 Land level & 2nd rate. Timber. Buck. Poplar. Oak
 Ash. Walnut & Hickory. U. g. Spruce &c.

East On a Random line between Sec. 8. & 17. T. 15. S. R. 5. W.

T. 15. N. R. 5. W. 2nd Mer. (Chd. a)

- 40 00 Set a temp.^s post for the cor. of 1/4 Sec.
 80 77 Intersect the S. & E. line 58 links S. of the post cor. of Sec.
 8. 9. 16. & 17. Land rolling & 2nd rate.
 Timber, Buck, Oak, Ash, Walnut, Hickory, &c.

- West On the true line between Sec. 8. & 17. T. 15. S. R. 5. W.
 40 38 Set a post for the cor. of 1/4 Sec. at the aver. dist. on the true line
 from which a Buck 28. in diam. bears S. 28. E. 37. links dist. &c.
 No 18. " " " N. 6. W. 22. " "

- North Between Sec. 7. & 8. T. 15. N. R. 5. W. 2nd Mer.
 10.52 To a Buck 20. in diam. stands in the line
 40 00 Set a post for the cor. of 1/4 Sec. from which a
 Lymon 11. in diam. bears S. 79. E. 15. links dist. &c.
 No 10 " " " S. 61. W. 14. " "
 55 20 To a Buck 12 in diam. stands in the line
 80 00 Set a post cor. of Sec. 5. 6. 7. & 8. from which a
 Sugar 12 in diam. bears S. 39. W. 20. links dist. &c.
 No 8. " " " N. 11. E. 23. " "
 Land on the 1st 1/2 mile level; 2nd & rolling. & 2nd rate
 Timber Buck, Sugar. Ash. Walnut. Oak. &c. Alg. Spiced

- East On a Random line between Sec. 5. & 8. T. 15. S. R. 5. W.
 40. 00 Set a temp.^s post for the cor. of the 1/4 Sec.
 80. 79 Intersect the S. & E. line 69 links North of the post
 cor. of Sec. 4. 5. 8. & 9.
 Land rolling & 2nd rate. Timber. Buck Oak. B.
 Ash & Poplar. Walnut. &c.

- West On the true line between Sec. 5. & 8. T. 15. S. R. 5. W.
 40 39 Set a post at the aver. dist. on the true line for the cor. of
 1/4 Sec. from which a Buck 20. in diam. bears N. 2. W. 10 lks. dist.
 and " No 12. " " " S. 10. E. 28. " "

T. N 15. S. R. N 5. W. 2nd Mer. (Ind^a)

80 79 To the spot cor. of Sec. 5. 6. 7. & 8.

-
- Mark Between Sec. 5. & 6. T. 15 S. R. 5th
 30. 00 To a Hickory 18. in diam. stands in the line
 40. 00 Set a spot for the cor. of 1/4 Sec. from which a
 Buck 20. in diam. bears North 37. links dist. to
 Gym 18. " " " S. 46. W. 15. " "
 48. 00 To a Buck 15. links wide: corner S. W.
 60 00 To a Gum 10. " " " West.
 64. 00 " " Hickberry 20. in diam. stands in the line
 83. 64 Intersect the Town cr. North Boundary at the spot
 cor. of Sec. 31. & 32
 Land part hilly & rolling & a part good rich bottom
-

- West Between Sec. 30. & 31. T. 15. S. R. 5th
 8. 50 To a Buck 16. in diam. stands in the line
 40. 00 Set a spot for the cor. of 1/4 Sec. from which a
 Gum 8. in diam. bears N 53. E. 3. links dist. to
 Buck 10. " " " S. 35. W. 13. " "
 71. 86 Intersect the West Bound. 48. links S. of the spot
 cor. of Sec. 25. & 36. T. 15. S. R. 6. W. & set a spot for
 the cor. of Sec. 30. & 31. from which a
 Buck 10. in diam. bears S. 63. W. 8. links dist. to
 W. Oak 48. " " " S. 64 E. 20. " "
 Land level & 2nd rate. Timber, W. Oak. Birch. Sugar
 Ash. Poplar. &c. Old Spice &c
-

- West Between Sec. 19. & 30. T. 15. S. R. 5. W.
 21. 50 To a Buck 12. in diam. stands in the line
 40 00 Set a spot for the cor. of 1/4 Sec. from which a
 Sugar 18. in diam. bears S. 67. E. 15. links dist. to
 Buck 7. " " " N 79. W. 17. " "
 55. 75 To a Buck 10. links wide: corner S. W.

72. 66 Intersect the West Boundary 88 links South of the post
 cor. of Sec. 24. & 25. T. 15. N. R. 6. W. Set a post for the
 cor. of Sec. 19. & 30. From which a
 Sugar. 20. in diam. bears N 24. E. 28. links dist. to
 Hemlock 8. " " " S. 79. E. 18. " "
 Land spurt level. & spurt broken 2nd rate. Timber,
 Buck. Sugar. Walnut. W. Oak. Poplar &c. Wg. Spice &c.

West Between Sec. 18. & 19. T. 15. N. R. 5. W.
 17. 25 To an Oak 30. in diam. stands in the line
 40 00 Set a post for the cor. of 1/4 Sec. from which a
 W. Oak 30. in diam. bears N 52. W. 18. links dist. to
 Sugar 10. " " " S. 59. E. 24. " "
 71 75 Intersect the West Boundary 91 links South of the post cor.
 of Sec. 13. & 24. T. 15. N. R. 6. W. Set a post for the cor.
 of Sec. 18. & 19. From which a
 Sugar. 10. in diam. bears S. 70. E. 24. links dist. to
 Buck 10. " " " N 57. E. 27. " "
 Land level & good 2nd rate. Timber. W. Oak. Walnut
 Poplar. Buck. Sugar &c. Wg. Spice &c.

West Between Sec. 7. & 18. T. 15. N. R. 5 W.
 22. 20 To an Oak 30. in diam. stands in the line
 40 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 12. in diam. bears S. 25. W. 16. links dist. to
 No 20. " " " N 77. E. 18. " "
 71. 84 Intersect the West Bound. 132 links South of the
 post cor. of Sec. 12. & 13. T. 15. N. R. 6 W. Set a post
 for the cor. of Sec. 7 & 18. From which a
 Sugar 14. in diam. bears N 11. E. 4. links dist. to
 No 15. " " " S. 34. E. 28. " "
 Land rolling & 2nd rate. Timber same as on the last mile

T. N. 15. N. R. 5. W. 3rd Mer Ind.

- West Between Sec. 6. & 7. T. 15. N. R. 5 W.
 20. 00 To a Buck 18. in diam. stands in the line
 46. 00 Set a post for the cor. of $\frac{1}{4}$ Sec. 6. from which a
 " Oak 36. in diam. bears N. 1. E. 17. links dist. to
 Buck 20. " " " S. 67. W. 18. " "
 72. 00 Intersect the West Boundary 113. links South of the
 post cor. of Sec. 1 & 12. T. 15. N. R. 5. W. & set a post
 for the cor. of Sec. 6. & 7. from which a
 Spruce 10. in diam. bears N 24. E 15. links dist. to
 Buck 14. " " " S. 55. E. 33. " "
 Line, broken & rolling. 3rd rate Timber same as last mile.

Surveyed by
 John Collett Sd.

certify that the foregoing Transcript of the field
 notes of Township N. 15 North of Range N.
 6 West of the 3rd Mer. Indiana, has been com-
 pared with the Original notes in this Office, and
 found to be correct.

Surveyor General's Office,
 Cincinnati, May 31st 1841

E. D. Mearns
 Sur. Genl.